

Utah Correctional Industries

Working to Make a Difference SICH SHOPE





Dear Valued Customer,

Welcome to the updated Sign Shop Catalog. Utah Correctional Industries provides excellent service and products, while being committed to meeting all of your signage needs.

The Utah Correctional Industries Division of the Utah Department of Corrections is authorized to sell to the U.S. Forest Services, U.S. Department of Interior, other Government Agencies, and the Private Sector.

Since 1967, Utah Correctional Industries (UCI) has operated a modern, fully equipped sign shop. We manufacture quality signs that meet or exceed the federal standards, "Manual on Uniform Traffic Control Devices" (MUTCD) and "Standards For Forest Service Signs" manual, EM-7100-15.

Utah Correctional Industries Division is entitled by Section 819 of the Ominbus Crime Control and Safe Streets Act of 1968, as amended, having met all statutory and guideline requirements, is authorized to place prison-made goods in interstate commerce pursuant to 18 U.S.C. 1761 © and may contract with agencies of the Federal Government for the sales of designated prisoner-made goods pursuant to 41 U.S.C. 35(d). UCI is certified under the Federal Private Sector-Prison Industry Enhancement Program to sell signs and related products to the Federal Government and the Private Sector in interstate commerce (42 U.S.C. 3789n).

Please Note: The UCI Catalog is only a sample illustration of our numerous products and services. The UCI Catalog lists only a few of the signs available. If you have specific sign preference we will research standard specifications or design it for you. A separate pricing sheet is updated annually. The Standard Code is an indexing guide of the catalog with the Pricing Information and can be used for ordering. Size is listed as width by height (w x h) unless otherwise stated. UCI customer representatives are knowledgeable and available to help or clarify requirements, specifications, color, details, and **custom signage design** for the Private Sector. Multiple colors on signs may have additional charges. Shipping and Handling estimates will be provided upon request. Please call for a quote.

Ordering: Orders may be placed through the mail, telephone, of fax. Current e-mail addresses are available upon request.

Please feel free to contact us for any assistance you may require regarding signage needs on your area. You may contact us for further information at the following:

Toll Free: 1-(877)-UCI-SIGN

(824-7446)

Ordering: (801) 576-7700 **Fax:** (801) 572-0247

Hours: 6:30 AM-2:00 PM (**MST**)

Tax EIN: # 87-0360561

Mailing Address:

Utah Correctional Industries

P.O. Box 850

Draper, Utah 84020-0850

Shipping Address:

Utah Correctional Industries 14425 Bitterbrush Lane Draper, Utah 84020

UCI Sign Shop Quote / Order Sheet

Quantity:			S	ign Size:	h x
		(Please	use this area to sketch	your sign)	
Material: (Please				☐ Painted (Non-ref	lective)
☐ Aluminum	ROUTED:		Refl	ective Sheeting:	,
☐ HDO Plywood	☐ Cedar	□ I	Paint	☐ Engineer Grade 1	Reflective
☐ Polyplate	☐ Oak		Stain	☐ High Intensity P	rismatic Reflective
☐ Lexan	☐ MDO Plywood	□ t	U nfinished	☐ Diamond Grade	Reflective
☐ Magnetic	Plastic		Scorched	☐ Fabric	
	☐ Recycled Plasti	c		☐ Heat Activated (Ex	xtra Cost)
Other:					
Text Size:			□ 1-9	Sided 2-Sided	
(If unsure, can U	CI determine best si	ze?)			
☐ Yes	\square No				
Preferred Color:			Top Tape:	☐ Yes ☐ No	
Radius Corners:	☐ Yes ☐ No		Drill Pattern:	☐ Yes ☐ No	Std. Spec. \square Custom \square
(If yes, please spec	ify location on drawing	g above	(If yes, pleas	se specify location on dra	wing above) Corner Radiu
			Drill size:		
Special Instruction	ns:				
Agency:			Fund:		
Contact Name:					
Address:			Low Org:		
City:		_			
Phone:					
Fax:	Email:				
Orders and Quotes: (801) 576-7724 or (801) 576-7732 UCI Sign Shon FAX:					

(801) 572-0247

(801) 572-2489



1-877-UCI-SIGN 1-877-824-7446

STOP	R1-1-18 (18 h x 18 w) R1-1-24 (24 h x 24 w) R1-1-30 (30 h x 30 w) R1-1-36 (36 h x 36 w) R1-1-48 (48 h x 48 w)	SPEED LIMIT 55 MINIMUM 30	R2-4a-24 (24 h x 48 w) R2-4a-36 (36 h x 72 w) R2-4a-48 (48 h x 96 w) (Specify Speed)
YIELD	R1-2-24 (24 h x 24 w) R1-2-30 (30 h x 30 w) R1-2-36 (36 h x 36 w) R1-2-48 (48 h x 48 w) R1-2-60 (60 h x 60 w)	REDUCED SPEED AHEAD	R2-5a-18 (18 h x 24 w) R2-5a-24 (24 h x 30 w) R2-5a-36 (36 h x 48 w) R2-5a-48 (48 h x 60 w)
TO ONCOMING TRAFFIC	R1-2a (18 h x 24 w)	REDUCED SPEED 35	R2-5b-18 (18 h x 24 w) R2-5b-24 (24 h x 30 w) R2-5b-36 (36 h x 48 w) R2-5b-48 (48 h x 60 w) (Specify Speed)
4-WAY	R1-3-12 (6 h x 12 w) R1-3-18 (9 h x 18 w) R1-3-24 (12 h x 24 w)	SPEED ZONE AHEAD	R2-5c-18 (18 h x 24 w) R2-5c-24 (24 h x 30 w) R2-5c-36 (36 h x 48 w) R2-5c-48 (48 h x 60 w)
ALL WAY	R1-4-18 (6 h x 18 w) R1-4-24 (9 h x 24 w) R1-4-30 (12 h x 30 w)	METRIC	R2-6a (9 h x 24 w)
SPEED LIMIT 65	R2-1-18 (18 h x 24 w) R2-1-24 (24 h x 30 w) R2-1-36 (36 h x 48 w) R2-1-48 (48 h x 60 w) (Specify Speed)	km/h	R2-6b (9 h x 24 w)
TRUCKS 40	R2-2-18 (18 h x 18 w) R2-2-24 (24 h x 24 w) R2-2-36 (36 h x 36 w) R2-2-48 (48 h x 48 w) (Specify Speed)		R3-1-24 (24 h x 24 w) R3-1-30 (30 h x 30 w) R3-1-36 (36 h x 36 w) R3-1-48 (48 h x 48 w) (Added Color Charge)
16HT 45	R2-3-18 (18 h x 18 w) R2-3-24 (24 h x 24 w) R2-3-36 (36 h x 36 w) R2-3-48 (48 h x 48 w) (Specify Speed)	NO RIGHT TURN ON TRACKS	R3-1a-12 (12 h x 12 w) R3-1a-24 (24 h x 24 w) R3-1a-30 (30 h x 30 w) R3-1a-36 (36 h x 36 w) R3-1a-48 (48 h x 48 w)
MINIMUM SPEED 5	R2-4-24 (24 h x 30 w) R2-4-36 (36 h x 48 w) R2-4-48 (48 h x 60 w) (Specify Speed)		R3-2-24 (24 h x 24 w) R3-2-30 (30 h x 30 w) R3-2-36 (36 h x 36 w) R3-2-48 (48 h x 48 w) (Added Color Charge)

NO LEFT TURN ON TRACKS	R3-2a-12 (12 h x 12 w) R3-2a-24 (24 h x 24 w) R3-2a-30 (30 h x 30 w) R3-2a-36 (36 h x 36 w) R3-2a-48 (48 h x 48 w)	ONLY	R3-8 (30 h x 30 w)
NO TURNS	R3-3-24 (24 h x 24 w) R3-3-36 (36 h x 36 w) R3-3-48 (48 h x 48 w)	ONLY	R3-9a (36 h x 30 w)
	R3-4-24 (24 h x 24 w) R3-4-30 (30 h x 30 w) R3-4-36 (36 h x 36 w) R3-4-48 (48 h x 48 w) (Added Color Charge)	CENTER LANE ONLY	R3-9b-24 (36 h x 24 w) R3-9b-36 (48 h x 36 w)
ONLY	R3-5-Left (36 h x 30 w) R3-5-Right (36 h x 30 w)	CENTER LANE DO NOT USE 7-9 AM MON-FRI	R3-9f (36 h x 24 w)
1 ONLY	R3-5a (36 h x 30 w)	HOV 2+ ONLY 2 OR MORE PERSONS PER VEHICLE	R3-10-30 (42 h x 30 w) R3-10-42 (60 h x 42 w) R3-10-54 (84 h x 54 w)
LEFT LANE	R3-5b (12 h x 30 w) LEFT LANE R3-5d (12 h x 30 w) TAXI LANE R3-5e (12 h x 30 w) CENTER LANE R3-5f (12 h x 30 w) RIGHT LANE	OHOV 2+ONLY 6AM-9AM MON-FRI	R3-11-30 (42 h x 30 w) R3-11-54 (84 h x 54 w)
H0V 2+	R3-5c (12 h x 24 w) HOV 2+	CENTER LANE HOV 2+ ONLY 6AM-9AM MON-FRI	R3-11a-30 (42 h x 30 w) R3-11a-42 (60 h x 42 w) R3-11a-54 (84 h x 54 w)
4	R3-6-Left (36 h x 30 w) R3-6-Right (36 h x 30 w)	CENTER LANE BUSES ONLY 6AM-9AM MON-FRI	R3-11b-30 (42 h x 30 w) R3-11b-42 (60 h x 42 w) R3-11b-54 (84 h x 54 w)
LEFT LANE MUST TURN LEFT	R3-7-LEFT (30 h x 30 w) R3-7-RIGHT (30 h x 30 w)	HOV LANE AHEAD	R3-12-30 (42 h x 30 w) R3-12-36 (60 h x 36 w) R3-12-48 (84 h x 48 w)

	<u></u>	<u> </u>	
HOV 2+ LANE ENDS	R3-12a-30 (42 h x 30 w) R3-12a-36 (60 h x 36 w) R3-12a-48 (84 h x 48 w)	BEGIN RIGHT TURN LANE YIELD TO BIKES	R4-4 (30 h x 36 w)
HOV 2+ ONLY 2 OR MORE PERSONS PER VEHICLE	R3-13-72 (36 h x 72 w) R3-13-96 (48 h x 96 w) R3-13-120 (60 h x 120 w)	TRUCKS USE RIGHT LANE	R4-5-24 (30 h x 24 w) R4-5-36 (48 h x 36 w) R4-5-48 (60 h x 48 w)
HOV 2+ ONLY GAM-9AM MON-FRI	R3-14-72 (60 h x 72 w) R3-14-96 (72 h x 96 w) R3-14-108 (84 h x 108 w)	TRUCK LANE 500 FEET	R4-6-24 (30 h x 24 w) R4-6-36 (48 h x 36 w) R4-6-48 (60 h x 48 w)
HOV LANE AHEAD	R3-15-66 (36 h x 66 w) R3-15-84 (48 h x 84 w) R3-15-102 (60 h x 102 w)	7	R4-7-18 (24 h x 18 w) R4-7-24 (30 h x 24 w) R4-7-36 (48 h x 36 w) R4-7-48 (60 h x 48 w)
LANE AHEAD	R3-16 (30 h x 24)	KEEP RIGHT	R4-7a-18 (24 h x 18 w) R4-7a-24 (30 h x 24 w) R4-7a-36 (48 h x 36 w) R4-7a-48 (60 h x 48 w)
RIGHT LANE	R3-7 (30 h x 24 w)	KEEP	R4-7b-18 (24 h x 18 w) R4-7b-24 (30 h x 24 w) R4-7b-36 (48 h x 36 w) R4-7b-48 (60 h x 48 w)
DO NOT PASS	R4-1-18 (24 h x 18 w) R4-1-24 (30 h x 24 w) R4-1-36 (48 h x 36 w) R4-1-48 (60 h x 48 w)		R4-8-18 (24 h x 18 w) R4-8-24 (30 h x 24 w) R4-8-36 (48 h x 36 w) R4-8-48 (60 h x 48 w)
PASS WITH CARE	R4-2-18 (24 h x 18 w) R4-2-24 (30 h x 24 w) R4-2-36 (48 h x 36 w) R4-2-48 (60 h x 48 w)	DO NOT ENTER	R5-1-30 (30 h x 30 w) R5-1-36 (36 h x 36 w) R5-1-48 (48 h x 48 w)
SLOWER TRAFFIC KEEP RIGHT	R4-3-24 (30 h x 24 w) R4-3-36 (48 h x 36 w) R4-3-48 (60 h x 48 w)	WRONG WAY	R5-1-30 (18 h x 30 w) R5-1-36 (24 h x 36 w) R5-1-42 (30 h x 42 w)

	R5-2-24 (24 h x 24 w) R5-2-30 (30 h x 30 w) R5-2-36 (36 h x 36 w) R5-2-48 (48 h x 48 w) (Added Color Charge)	ONE WAY	R6-2R-18 (24 h x 18 w) (RIGHT) R6-2R-24 (30 h x 24 w) (RIGHT) R6-2L-18 (24 h x 18 w) (LEFT) R6-2L-24 (30 h x 24 w) (LEFT
NO MOTOR VEHICLES	R5-3 (24 h x 24 w)	NO PARKING ANY TIME	R7-1 (18 h x 12 w)
COMMERCIAL VEHICLES EXCLUDED	R5-4-18 (24 h x 18 w) R5-4-24 (30 h x 24 w) R5-4-36 (48 h x 36 w) R5-4-48 (60 h x 48 w)	NO PARKING ANY TIME	R7-1L (18 h x 12 w) (LEFT ARROW) R7-1R (18 h x 12 w) (RIGHT ARROW) R7-1B (18 h x 12 w) (TWO-WAY ARROW)
VEHICLES WITH LUGS PROHIBITED	R5-5-18 (24 h x 18 w) R5-5-24 (30 h x 24 w) R5-5-36 (48 h x 36 w) R5-5-48 (60 h x 48 w)	8:30 AM TO 5:30 PM	R7-2 (18 h x 12 w) (Added Color Charge)
(S/S)	R5-6-24 (24 h x 24 w) R5-6-30 (30 h x 30 w) R5-6-36 (36 h x 36 w) R5-6-48 (48 h x 48 w) (Added Color Charge)	NO PARKING 8:30 AM TO 5:30 PM	R7-2L (18 h x 12 w) (LEFT ARROW) R7-2R (18 h x 12 w) (RIGHT ARROW) R7-2B (18 h x 12 w) (TWO-WAY ARROW)
NON MOTORIZED TRAFFIC PROHIBITED	R5-7-30 (24 h x 30 w) R5-7-42 (24 h x 42 w) R5-7-48 (30 h x 48 w)	NO PARKING EXCEPT SUNDAYS AND HOLIDAYS	R7-3L (18 h x 12 w) (LEFT ARROW) R7-3R (18 h x 12 w) (RIGHT ARROW) R7-3B (18 h x 12 w) (TWO-WAY ARROW)
MOTOR DRIVEN CYCLES PROHIBITED	R5-8-30 (24 h x 30 w) R5-8-42 (24 h x 42 w) R5-8-48 (30 h x 48 w)	NO STANDING ANY TIME	R7-4L (18 h x 12 w) (LEFT ARROW) R7-4R (18 h x 12 w) (RIGHT ARROW) R7-4B (18 h x 12 w) (TWO-WAY ARROW)
PEDESTRIANS PROHIBITED	R5-10c (12 h x 24 w)	ONE HOUR PARKING 9AM-7PM	R7-5L (18 h x 12 w) (LEFT ARROW) R7-5R (18 h x 12 w) (RIGHT ARROW) R7-5B (18 h x 12 w) (TWO-WAY ARROW)
ONE WAY	R6-1R (12 h x 36 w) (RIGHT) R6-1L (12 h x 36 w) (LEFT)	NO PARKING LOADING ZONE	R7-6L (18 h x 12 w) (LEFT ARROW) R7-6R (18 h x 12 w) (RIGHT ARROW) R7-6B (18 h x 12 w) (TWO-WAY ARROW)

NO PARKING BUS STOP	R7-7L (18 h x 12 w) (LEFT ARROW) R7-7R (18 h x 12 w) (RIGHT ARROW) R7-7B (18 h x 12 w) (TWO-WAY ARROW)	TOW-AWAY ZONE	R7-201 (6 h x 12 w)
RESERVED PARKING	R7-8L (18 h x 12 w) (LEFT ARROW) R7-8R (18 h x 12 w) (RIGHT ARROW) R7-8B (18 h x 12 w) (TWO-WAY ARROW) (Added Color Charge)	NO PARKING ON PAVEMENT	R8-1-18 (24 h x 18 w) R8-1-24 (30 h x 24 w) R8-1-36 (48 h x 36 w) R8-1-48 (60 h x 48 w)
VAN ACCESSIBLE VAN ACCESSIBLE	R7-8a-12REG (6 h x 12 w) (REGULAR) R7-8a-18REG (9 h x 18 w) (REGULAR) R7-8a-12INT (6 h x 12 w) (INTERSTATE) R7-8a-18INT (9 h x 18 w) (INTERSTATE)	NO PARKING EXCEPT ON SHOULDER	R8-2-18 (24 h x 18 w) R8-2-24 (30 h x 24 w) R8-2-36 (48 h x 36 w) R8-2-48 (60 h x 48 w)
NOPARKING BIKE LANE	R7-9 (18 h x 12 w)	NO PARKING	R8-3-18 (24 h x 18 w) R8-3-24 (30 h x 24 w) R8-3-36 (48 h x 36 w) R8-3-48 (60 h x 48 w)
BIKE LANE	R7-9a (18 h x 12 w) (Added Color Charge)	R	R8-3a-12 (12 h x 12 w) R8-3a-24 (24 h x 24 w) R8-3a-36 (36 h x 36 w) R8-3a-48 (48 h x 48 w) (Added Color Charge)
	R7-107a (24 h x 12 w) (WITHOUT LOGO) (Added Color Charge)	EMERGENCY PARKING ONLY	R8-4-30 (24 h x 30 w) R8-4-48 (36 h x 48 w)
UTA DE	R7-107a (30 h x 12 w) (CHOICE OF LOGO) (Added Color Charge)	NO STOPPING ON PAVEMENT	R8-5-18 (24 h x 18 w) R8-5-24 (30 h x 24 w) R8-5-36 (48 h x 36 w) R8-5-48 (60 h x 48 w)
NOPARKING BUS STOP	R7-107L (18 h x 12 w) (LEFT ARROW) R7-107R (18 h x 12 w) (RIGHT ARROW) R7-107B (18 h x 12 w) (TWO-WAY ARROW)	NO STOPPING EXCEPT ON SHOULDER	R8-6-18 (24 h x 18 w) R8-6-24 (30 h x 24 w) R8-6-36 (48 h x 36 w) R8-6-48 (60 h x 48 w)
NO ONE HOUR ANY PARKING 9AM-7PM	R7-200 (18 h x 20 w)	EMERGENCY STOPPING ONLY	R8-7-30 (24 h x 30 w) R8-7-48 (36 h x 48 w)

DO NOT STOP ON TRACKS	R8-8-24 (30 h x 24 w) R8-8-36 (48 h x 36 w) R8-8-48 (60 h x 48 w)	DO NOT BLOCK INTERSECTION	R10-7 (30 h x 24 w)
TRACKS OUT OF SERVICE	R8-9-12 (16 h x 12 w) R8-9-24 (30 h x 24 w) R8-9-36 (48 h x 36 w) R8-9-48 (60 h x 48 w)	USE LANE WITH GREEN ARROW	R10-8-18 (24 h x 18 w) R10-8-24 (30 h x 24 w) R10-8-30 (36 h x 30 w)
WALK ON LEFT FACING TRAFFIC	R9-1 (24 h x 18 w)	LEFT TURN SIGNAL	R10-10L (30 h x 24 w) (LEFT) R10-10R (30 h x 24 w) (RIGHT)
CROSS ONLY AT CROSS WALKS	R9-2 (18 h x 12 w)	NO TURN ON RED	R10-11a-18 (24 h x 18 w) R10-11a-24 (30 h x 24 w) R10-11a-36 (48 h x 36 w)
	R9-3a-18 (18 h x 18 w) R9-3a-24 (24 h x 24 w) R9-3a-30 (30 h x 30 w) (Added Color Charge)	LEFT TURN YIELD ON GREEN	R10-12 (30 h x 24 w) (Added Color Charges)
KEEP LEFT RIGHT	R9-7 (18 h x 12 w)	ROAD CLOSED	R11-2 (30 h 48 w)
CROSS ONLY ON SIGNAL	R10-2a (18 h x 12 w)	WEIGHT LIMIT 10 TONS	R12-1-24 (30 h x 24 w) R12-1-36 (48 h x 36 w)
PUSH BUTTON FOR GREEN LIGHT	R10-3 (12 h x 9 w)	WEIGHT LIMIT 8T 12T	R12-5-24 (30 h x 24 w) R12-5-30 (36 h x 30 w) R12-5-36 (48 h x 36 w) R12-5-48 (60 h x 48 w)
STOP HERE ON RED	R10-6 (36 h x 24 w)	PAILS ING CROSPORD	R15-1 (48 x 48)

	W1-1R-18 (18 h x 18 w) or W1-1L-18 (LEFT) W1-1R-24 (24 h x 24 w) or W1-1L-24 (LEFT) W1-1R-30 (30 h x 30 w) or W1-1L-30 (LEFT) W1-1R-36 (36 h x 36 w) or W1-1L-36 (LEFT) W1-1R-48 (48 h x 48 w) or W1-1L-48 (LEFT)		W2-2L-18 (18 h x 18 w) or W2-2R-18 (RIGHT) W2-2L-24 (24 h x 24 w) or W2-2R-24 (RIGHT) W2-2L-30 (30 h x 30 w) or W2-2R-30 (RIGHT) W2-2L-36 (36 h x 36 w) or W2-2R-36 (RIGHT) W2-2L-48 (48 h x 48 w) or W2-2R-48 (RIGHT)
5	W1-2L-18 (18 h x 18 w) or W1-2R-18 (RIGHT) W1-2L-24 (24 h x 24 w) or W1-2R-24 (RIGHT) W1-2L-30 (30 h x 30 w) or W1-2R-30 (RIGHT) W1-2L-36 (36 h x 36 w) or W1-2R-36 (RIGHT) W1-2L-48 (48 h x 48 w) or W1-2R-48 (RIGHT)		W2-3R-18 (18 h x 18 w) or W2-3L-18 (LEFT) W2-3R-24 (24 h x 24 w) or W2-3L-24 (LEFT) W2-3R-30 (30 h x 30 w) or W2-3L-30 (LEFT) W2-3R-36 (36 h x 36 w) or W2-3L-36 (LEFT) W2-3R-48 (48 h x 48 w) or W2-3L-48 (LEFT)
	W1-3R-24 (24 h x 24 w) or W1-3L-24 (LEFT) W1-3R-30 (30 h x 30 w) or W1-3L-30 (LEFT) W1-3R-36 (36 h x 36 w) or W1-3L-36 (LEFT) W1-3R-48 (48 h x 48 w) or W1-3L-48 (LEFT)		W2-4-18 (18 h x 18 w) W2-4-24 (24 h x 24 w) W2-4-30 (30 h x 30 w) W2-4-36 (36 h x 36 w) W2-4-48 (48 h x 48 w)
S	W1-4L-18 (18 h x 18 w) or W1-4R-18 (RIGHT) W1-4L-24 (24 h x 24 w) or W1-4R-24 (RIGHT) W1-4L-30 (30 h x 30 w) or W1-4R-30 (RIGHT) W1-4L-36 (36 h x 36 w) or W1-4R-36 (RIGHT) W1-4L-48 (48 h x 48 w) or W1-4R-48 (RIGHT)		W3-1a-30 (30 h x 30 w) W3-1a-36 (36 h x 36 w) W3-1a-48 (48 h x 48 w) (Added Color Charge)
3	W1-5L-18 (18 h x 18 w) or W1-5R-18 (RIGHT) W1-5L-24 (24 h x 24 w) or W1-5R-24 (RIGHT) W1-5L-30 (30 h x 30 w) or W1-5R-30 (RIGHT) W1-5L-36 (36 h x 36 w) or W1-5R-36 (RIGHT) W1-5L-48 (48 h x 48 w) or W1-5R-48 (RIGHT)	THEO	W3-2a-30 (30 h x 30 w) W3-2a-36 (36 h x 36 w) W3-2a-48 (48 h x 48 w) (Added Color Charge)
**	W1-7-24 (12 h x 24 w) W1-7-36 (18 h x 36 w) W1-7-48 (24 h x 48 w) W1-7-60 (30 h x 60 w)		W3-3-18 (18 h x 18 w) W3-3-30 (30 h x 30 w) W3-3-36 (36 h x 36 w) W3-3-48 (48 h x 48 w) (Added Color Charge)
	W1-8R-12 (18 h x 12 w) or W1-8L-12 (LEFT) W1-8R-18 (24 h x 18 w) or W1-8L-18 (LEFT) W1-8R-24 (30 h x 24 w) or W1-8L-24 (LEFT) W1-8R-30 (36 h x 30 w) or W1-8L-30 (LEFT) W1-8R-36 (48 h x 36 w) or W1-8L-36 (LEFT)	BE PREPARED TO STOP	W3-4-36 (36 h x 36 w) W3-4-48 (48 h x 48 w) W3-4-60 (60 h x 60 w)
	W1-10R-18 (18 h x 18 w) or W1-10L-18 (LEFT) W1-10R-24 (24 h x 24 w) or W1-10L-24 (LEFT) W1-10R-30 (30 h x 30 w) or W1-10L-30 (LEFT) W1-10R-36 (36 h x 36 w) or W1-10L-36 (LEFT) W1-10R-48 (48 h x 48 w) or W1-10L-48 (LEFT)		W4-1R-24 (24 h x 24 w) or W4-1L-24 (LEFT) W4-1R-30 (30 h x 30 w) or W4-1L-30 (LEFT) W4-1R-36 (36 h x 36 w) or W4-1L-36 (LEFT) W4-1R-48 (48 h x 48 w) or W4-1L-48 (LEFT)
	W2-1-18 (18 h x 18 w) W2-1-24 (24 h x 24 w) W2-1-30 (30 h x 30 w) W2-1-36 (36 h x 36 w) W2-1-48 (48 h x 48 w)		W4-2L-30 (30 h x 30 w) or W4-2R-30 (RIGHT) W4-2L-36 (36 h x 36 w) or W4-2R-36 (RIGHT) W4-2L-48 (48 h x 48 w) or W4-2R-48 (RIGHT)

ROAD	W5-1-30 (30 h x 30 w) W5-1-36 (36 h x 36 w) W5-1-48 (48 h x 48 w)	HILL	W7-1a-24 (24 h x 24 w) W7-1a-30 (30 h x 30 w) W7-1a-36 (36 h x 36 w) W7-1a-48 (48 h x 48 w)
NARROW BRIDGE	W5-2-24 (24 h x 24 w) W5-2-30 (30 h x 30 w) W5-2-36 (36 h x 36 w)	8%	W7-1b-24 (24 h x 24 w) W7-1b-30 (30 h x 30 w) W7-1b-36 (36 h x 36 w) W7-1b-48 (48 h x 48 w) Please specivy % GRADE
	W5-2a-30 (30 h x 30 w) W5-2a-36 (36 h x 36 w) W5-2a-48 (48 h x 48 w)	USE LOW GEAR	W7-2 (18 h x 24 w)
ONE LANE BRIDGE	W5-3-30 (30 h x 30 w) W5-3-36 (36 h x 36 w) W5-3-48 (48 h x 48 w)	TRUCKS USE LOWER GEAR	W7-2b (18 h x 24 w)
RAMP	W5-4-30 (30 h x 30 w) W5-4-36 (36 h x 36 w) W5-4-48 (48 h x 48 w)	9% GRADE	W7-3 (18 h x 24 w)
	W6-1-30 (30 h x 30 w) W6-1-36 (36 h x 36 w) W6-1-48 (48 h x 48 w)	NEXT 7 MILES	W7-3a (18 h x 24 w)
	W6-2-30 (30 h x 30 w) W6-2-36 (36 h x 36 w) W6-2-48 (48 h x 48 w)	9% GRADE 7 MILES	W7-3b (18 h x 24 w)
	W6-3-24 (24 h x 24 w) W6-3-30 (30 h x 30 w) W6-3-36 (36 h x 36 w) W6-3-48 (48 h x 48 w)	(H)	W7-5 (18 h x 18 w)
	W6-4 (18 h x 12 w)	BUMP	W8-1-24 (24 h x 24 w) W8-1-30 (30 h x 30 w) W8-1-36 (36 h x 36 w) W8-1-48 (48 h x 48 w)


DIP	W8-2-24 (24 h x 24 w) W8-2-30 (30 h x 30 w) W8-2-36 (36 h x 36 w) W8-2-48 (48 h x 48 w)	UNEVEN	W8-11-24 (24 h x 24 w) W8-11-30 (30 h x 30 w) W8-11-36 (36 h x 36 w) W8-11-48 (48 h x 48 w)
PAVEMENT	W8-3-24 (24 h x 24 w) W8-3-30 (30 h x 30 w) W8-3-36 (36 h x 36 w)	RIGHT LANE ENDS	W9-1R-24 (24 h x 24 w) or W9-1L-24 (LEFT) W9-1R-30 (30 h x 30 w) or W9-1L-30 (LEFT) W9-1R-36 (36 h x 36 w) or W9-1L-36 (LEFT) W9-1R-48 (48 h x 48 w) or W9-1L-48 (LEFT)
SOFT	W8-4-24 (24 h x 24 w) W8-4-30 (30 h x 30 w) W8-4-36 (36 h x 36 w) W8-4-48 (48 h x 48 w)	LANE ENDS MERGE LEFT	W9-2L-30 (30 h x 30 w) or W9-2R-30 (RIGHT) W9-2L-36 (36 h x 36 w) or W9-2R-36 (RIGHT) W9-2L-48 (48 h x 48 w) or W9-2R-48 (RIGHT)
	W8-5-24 (24 h x 24 w) W8-5-30 (30 h x 30 w) W8-5-36 (36 h x 36 w) W8-5-48 (48 h x 48 w)	RR	W10-1-15 (15 h x 15 w) W10-1-18 (18 h x 18 w) W10-1-24 (24 h x 24 w)
TRUCK	W8-6-24 (24 h x 24 w) W8-6-30 (30 h x 30 w) W8-6-36 (36 h x 36 w) W8-6-48 (48 h x 48 w)	(F)	W11-1-24 (24 h x 24 w) W11-1-30 (30 h x 30 w) W11-1-36 (36 h x 36 w) W11-1-48 (48 h x 48 w)
L00SE GRAVEL	W8-7-24 (24 h x 24 w) W8-7-30 (30 h x 30 w) W8-7-36 (36 h x 36 w) W8-7-48 (48 h x 48 w)		W11-2-24 (24 h x 24 w) W11-2-30 (30 h x 30 w) W11-2-36 (36 h x 36 w) W11-2-48 (48 h x 48 w)
ROUGH	W8-8-24 (24 h x 24 w) W8-8-30 (30 h x 30 w) W8-8-36 (36 h x 36 w) W8-8-48 (48 h x 48 w)		W11-3-24 (24 h x 24 w) W11-3-30 (30 h x 30 w) W11-3-36 (36 h x 36 w) W11-3-48 (48 h x 48 w)
LOW SHOULDER	W8-9-24 (24 h x 24 w) W8-9-30 (30 h x 30 w) W8-9-36 (36 h x 36 w) W8-9-48 (48 h x 48 w)		W11-4-24 (24 h x 24 w) W11-4-30 (30 h x 30 w) W11-4-36 (36 h x 36 w) W11-4-48 (48 h x 48 w)
SHOULDER DROP-OFF	W8-9a-24 (24 h x 24 w) W8-9a-30 (30 h x 30 w) W8-9a-36 (36 h x 36 w) W8-9a-48 (48 h x 48 w)		W11-5-24 (24 h x 24 w) W11-5-30 (30 h x 30 w) W11-5-36 (36 h x 36 w) W11-5-48 (48 h x 48 w)

	W11-6-24 (24 h x 24 w) W11-6-30 (30 h x 30 w) W11-6-36 (36 h x 36 w) W11-6-48 (48 h x 48 w)	ROAD CONSTRUCTION AHEAD	W20-1-36 (36 h x 36 w) W20-1-48 (48 h x 48 w) W20-1-60 (60 h x 60 w)
	W11-8-24 (24 h x 24 w) W11-8-30 (30 h x 30 w) W11-8-36 (36 h x 36 w) W11-8-48 (48 h x 48 w)	DETOUR	W20-2-36 (36 h x 36 w) W20-2-48 (48 h x 48 w)
	W11-9-24 (24 h x 24 w) W11-9-30 (30 h x 30 w) W11-9-36 (36 h x 36 w) W11-9-48 (48 h x 48 w)	ROAD CLOSED AHEAD	W20-3-36 (36 h x 36 w) W20-3-48 (48 h x 48 w)
	W11-10-24 (24 h x 24 w) W11-10-30 (30 h x 30 w) W11-10-36 (36 h x 36 w) W11-10-48 (48 h x 48 w)	ONE LANE ROAD AHEAD	W20-4-36 (36 h x 36 w) W20-4-48 (48 h x 48 w)
12-6"	W12-2-30 (30 h x 30 w) W12-2-36 (36 h x 36 w) W12-2-48 (48 h x 48 w)	CENTER LANE CLOSED AHEAD	W20-1-36 (36 h x 36 w) W20-1-48 (48 h x 48 w) Please Specify: (RIGHT LANE, LEFT LANE, or CENTER LANE) and (AHEAD, 1000 FT. 1 MILE, etc.)
50 M P H	W13-1-18 (18 h x 18 w) W13-1-24 (24 h x 24 w)		W20-7a-30 (30 h x 30 w) W20-7a-36 (36 h x 36 w) W20-7a-48 (48 h x 48 w)
DEAD	W14-1-24 (24 h x 24 w) W14-1-30 (30 h x 30 w) W14-1-36 (36 h x 36 w)		W21-1a-30 (30 h x 30 w) W21-1a-36 (36 h x 36 w) W21-1a-48 (48 h x 48 w)
NO OUTLET	W14-2-24 (24 h x 24 w) W14-2-30 (30 h x 30 w) W14-2-36 (36 h x 36 w)	FRESH	W21-2-24 (24 h x 24 w) W21-2-30 (30 h x 30 w) W21-2-36 (36 h x 36 w) Also available: FRESH TAR
SHARE THE ROAD	R16-1-18 (24 h x 18 w) R16-1-24 (30 h x 24 w)	ROAD MACHINERY AHEAD	W21-3-30 (30 h x 30 w) W21-3-36 (36 h x 36 w) W21-3-48 (48 h x 48 w) Please specivy: (AHEAD, 1000 FT., 1 MILE, etc.)

Other Signs

INTERSTATE 15	M1-1-24 - 1,2 # (24 h x 24 w) 3 # (30 h x 24 w) M1-1-36 - 1,2 # (36 h x 36 w) 3 # (45 h x 36 w) M1-1-48 - 1,2 # (48 h x 48 w) 3# (60 h x 48 w) # - number of digits (Added Color Charge)	DETOUR	M4-10L (18 h x 48 w) (LEFT ARROW) M4-10R (18 h x 48 w) (RIGHT ARROW)
89	M1-4-24 - 1,2 # (24 h x 24 w) 3 # (30 h x 24 w) M1-4-36 - 1,2 # (36 h x 36 w) 3 # (45 h x 36 w) M1-4-48 - 1,2 # (48 h x 48 w) 3# (60 h x 48 w) # - number of digits	***	S1-1-30 (30 h x 30 w) S1-1-36 (36 h x 36 w) S1-1-48 (48 h x 48 w)
UINTA 16 COUNTY	M1-6-18 (18 h x 18 w) M1-6-24 (24 h x 24 w) M1-6-30 (30 h x 30 w)	SCHOOL BUS STOP AHEAD	S3-1-30 (30 h x 30 w) S3-1-36 (36 h x 36 w)
JCT	M2-1-INTERSTATE (15 h x 21 w)	8:30 AM TO 5:30 PM	S4-1-24 (10 h x 30 w) S4-1-36 (15 h x 36 w) S4-1-48 (20 h x 48 w)
JCT	M2-1-STANDARD (15 h x 21 w)	WHEN CHILDREN ARE PRESENT	S4-2-24 (10 h x 30 w) S4-2-36 (15 h x 36 w) S4-2-48 (20 h x 48 w)
DETOUR	M4-8-24 (12 h x 24 w) M4-8-30 (15 h x 30 w)	SCHOOL	S4-3-24 (8 h x 30 w) S4-3-36 (12 h x 36 w) S4-3-48 (16 h x 48 w)
END DETOUR	M4-8a (18 h x 24 w)	WHEN FLASHING	S4-4-24 (10 h x 30 w) S4-4-36 (15 h x 36 w) S4-4-48 (20 h x 48 w)
END	M4-8b (12 h x 24 w)	SCHOOL SPEED LIMIT 20 WHEN FLASHING	S5-1-24 (48 h x 30 w) S5-1-36 (72 h x 36 w) S5-1-48 (96 h x 48 w)
DETOUR	M4-9R-30 (24 h x 36 w) or (M4-9L-30) (LEFT) M4-9R-48 (36 h x 48 w) or (M4-9L-48) (LEFT) M4-9R-60 (48 h x 60 w) or (M4-9L-60) (LEFT)	END SCHOOL ZONE	S5-2-24 (30 h x 24 w) S5-2-36 (48 h x 36 w)

Barricades & Delineators



Roll-up Signs

ROLL-UP SIGNS FABRICATED FROM 3M FABRIC SIGN BLANKS

- Replace heavy, difficult to handle, plywood or aluminum signs and non-retroreflective mesh signs.
- Produce lightweight and rugged, easy to set-up and take down, temporary construction signs, offering excellent daytime visibility plus the brightest nighttime retroreflectivity available.
- 3M SIGN BLANKS PRODUCE ROLL-UP SIGNS WITH THESE FEATURES:

Easv to Handle


Flexible lightweight vinyl makes sign easy to open and erect on site. Easy to move and position.

Minimum Storage Space

When not in use, the roll-up sign occupies a minimum of valuable vehicle storage space. Because they are lightweight and flexible they can be stored where conventional signs cannot.

Brilliant Reflectivity

At both long and short viewing distance 3M fabric roll-up signs provide unmatched retroreflective brightness. Same color day or night.



Easy to Clean

Signs made from 3M fabric present a smooth vinyl surface to the environment which resists soiling.

CONSTRUCTION

3M Roll-Up Sign blanks are made of U-V Stabilized vinyl microprism reflective sheeting, with a heavy duty fabric reinforced backing.

Quick Set-up and Taken-Down

Signs unroll in seconds, can be set up and taken down in a minute or less. Ideal for moving or temporary work zones.

SIZES

Roll-Up Sign Blanks are available in the following standard sizes: 36" x 36",48" x 48" Other sizes are available on special request.

In a variety of colors; Standard Orange, Pink, Yellow, and more.

Stands, overlays and storage tubes available. . .

Banners and Specialty Items



LARGE CUSTOM BANNERS

Available for Indoor or Outdoor use.

Made from quality material and durable inks.

Grommets available upon request.

Clear coat seal available.

1440 dpi for photo quality printing on any of these substrates.

Graphics Designers available for custom logos and decals.

NEIGHBORHOOD WATCH Signs & Decals



All sizes available.

Made with a variety of materials.

SOUVENIR LICENSE PLATE





A miniature license plate (approximately 4" x 7") with a first name in vinyl cut-out letters PLASTIC DESK STAND IS INCLUDED

Please state name and style when ordering.

Magnets, Decals and Posters





















Signs and decals available in a variety of materials including:





Vehicle Magnets or Decals
Refrigerator Magnet
Reflective Vinyl
Non-Reflective Vinyl
Static Cling vinyl
Clear adhesive vinyl (for window decals)

View through vinyl (Transit Authority approved for side and back windows of vans)



1440 dpi for photo quality printing on any of these substrates.

Graphics Designers available for custom logos and decals.











ADA Signs

- **★ COMPLETE LINE OF AMERICANS WITH DISABILITIES ACT** (A.D.A.) SIGNS AND PLAQUES.
- **★ ALL PRODUCTS ARE MADE OF FOREST SERVICE APPROVED MATERIALS AND T.O.I. SPECIFICATIONS.**
- **★ TACTILE 3-D SIGNS**RAISED LETTERING, PICTOGRAMS AND GRADE II BRAILLE.
- ★ VANDAL RESISTANT RESTROOM AND TELEPHONE SIGNS.
 MOST POPULAR ADA SIGNS

Item #41
ALUMINUM (OUTDOOR) SIGNS



ADA-1A





ADA -1B

Item #43

MOLDED PLASTIC (INDOOR) SIGNS



ADA-2A



ADA-2B





ADA-5A1



ADA-5A2



ADA-5A4



ADA-5A4



ADA-5A5



ADA-5A6



ADA-8A



ADA-8B

ALL OTHER ADA SIGNS AVAILABLE

Handicapped Signs



















There are wide varieties of Handicap Sign Styles and Specifications available including; STATE, FEDERAL, TRAFFIC, and PARKING variations.



Material desired (Aluminum, Steel, Plastic, Wood, Molded Plastic or Polyplate. Quantity needed, Reflective or Non-Reflective.





Sizes; usually 18"x12" or 24"x18" (but are also available in 6"x12", 12"x12", 18"x18", and 24"x24") (PLEASE CALL FOR QUOTE)











Street Signs

STANDARD SIZE 6" x 24"

MAIN STREET

CENTER STREET

KIMBERLY AVENUE 2020 SOUTH White on Green Both Sides or Blanks

4" Letters & Numbers Count letters or numbers to determine size needed

3" Letters or Numbers

2" Letters & Numbers

Telespar option - (2 pc 2 - sided) - - - U-Channel Option - (1 pc 2 sided)
When ordering please state if you want a particular size sign such as 6" x 24", 6" x 30", or 8" x 30" etc. Or if you want a particular size letter, either 2", 3" or 4".

Please specify if border is needed

A general rule to follow for letters per side is as follows:

On a 6" x 24" per side:

2" letters 14 per line. Can have two lines.

3" letters 13

4" letters 10

On a 6" x 30" per side:

2" letters 18 per line. Can have two lines.

3" letters 16

4" letters 13

On a 8" x 24" per side

2" letters 14 per ine. Can have two lines.

3" letters 13 per line. Can have two lines.

4" letters 10

On a 8" x 30" per side:

2" letters 18 per line. Can have two lines.

3" letters 16 per line. Can have two lines.

4" letters 13

All signs are F.O.B. Draper, Utah.

Telespar, U-Channel Posts and Other Hardware are Available Please Call For Quote

Flexible Marking Posts

Lightweight - Impact Resistant - High Visibility





FLU-1




DSU-1

Posts are available in a variety of colors

INSTALLS IN SECONDS

POST DRIVERS and PILOT HOLE DRIVERS AVAILABLE



GPM-1

MAINTENANCE FREE POST

Permanent colors maintain high visibility.

No painting necessary!

No rust! No rot! No fading!

DURABLE

Made from durable all-weather recycled plastic. Stable from $+140^{\circ}$ to -40°

IMPACT & VANDAL RESISTANT

Designed to withstand high vandalism or high impact areas. Including Direct Tire Impacts!





Rec. and Misc. Signs





Custom sign and logo design features are available.
Please Call For Quote.











Plexiglas and Routed Signs

Strawberry River Habitat Enhancement Project

During 2002, a habitat enhancement project was accomplished on this reach of the Strawberry River. Project objectives were:

> To restore natural stream channel patterns and profiles

> To maintain the integrity and functionality of the Utah Division of Wildlife Resources' spawning migration trap

> To stabilize and re-vegetate unstable and eroding stream banks

Unstable stream banks can yield tons of sediment to a stream annually, filling in spawning gravels with fine sediment, which can suffocate and kill trout and salmon edge. and kill trout and salmon eggs.

and kill trout and salmon eggs.

The project included the following elements and tasks:

> Pulling back and reshaping unstable banks on outside river bends

> Placement of live willow clumps and large root wads to protect banks and provide resting habitat for fish

> Arrangement of large rock veins (barbs) in the stream to deflect high velocity water toward the center of the channel

> Placement of biodegradable eoconut fiber mats at the water line to provide a footing for riparian (water loving) plant reestablishment

> Planting of disturbed areas and stream banks with a riparian seed mix and willow cuttings

> Channel realignment upstream of the electric fish barrier

> Realignment and construction of new sections of boardwalk

Long-term bank stability requires the establishment of a healthy, vigorous riparian plant community.

The stream bank located 100 yards northeast of this sign received the sloping and vegetation treatments during 2002. The response of riparian vegetation in rehabilitated stream reaches is often rapid and dramatic.





Unstable bank July 15, 2002 (Pre-project).

The rehabilitation techniques applied to this particular stream reach are one of many options in stream restoration. This and other stream rehabilitation measures will continue to be an important part of the management of Strawberry Valley watersheds for many years to come. This project was accomplished using Habitat Enhancement Funds provided by the Utah Division of Wildlife Resources in partnership with the U.S. Forest Service, Strawberry Anglers Association, and Friends of Strawberry Valley.







Custom sign and logo design features are available. Please Call For Quote.

All Recreation Symbols are Available.





Industrial Signs

Signs and decals available in a variety of materials including:

Vehicle Magnet or Decal Refrigerator Magnet Reflective Vinyl Non-Reflective Vinyl Static Cling vinyl

Clear adhesive vinyl (for window decals)
View through vinyl (Transit Authority approved for side and back windows of vans)

1440 dpi for photo quality printing on any of these substrates.

Graphics Designers available for custom logos and decals.









A wide variety of industrial signs are available. Including DANGER, CAUTION, NOTICE, and SAFETY signs etc. Please specify the message you want.

Typical sizes may be; 7" x 10"

14" x 10"

18" x 12"

Also available in Aluminum, (.080, .040, .125) Plastic or Vinyl. Relective or Non-Reflextive

















AUTHORIZED

ERSONNEL

Computer and Laser Engraving



Engraved 2" x 12" w acrylics. Assorted colors & Clear.



Engraved acrylic awards. Assorted shapes & colors.



Engraved 2" x 10" wood. Assorted Finishes.



Engraved signs available in Wall or Door mount styles.



Engraved wood signs. Assorted finishes.



JAMES BRADY DIRECTOR

Engraved name tags. Phenolic or Metal.

PLAQUES



Plaques are available in Wood or Acrylic Materials.

Any graphic, text, or signart is possible.









2/90 Signs















Contour Signs



















2/90 and Contour Signs

Whichard Building | 100 | 200 | | 102 | 202 | | 104 | 204 | | 106 | 206 | | 108 | 208 | | 110 | 210 | | 112 | 212 |




Design Group Engineering Marketing



Product Planning

2/90 signs and directories.







RESTROOMS

Diane Albrechtsen C.H.E.S

Contour Style signs and directories.





Cubicle signs. Herman Miller in Black or Clear 2/90 style.



THIS AREA OFF LIMITS EMPLOYEES ONLY


Acrylic signs available with vinyl lettering.


All signs, not otherwise stated, are available in a variety of sizes, styles and colors.

ADA compliance available upon request.


Photo quality printing available for custom designs on Contour Signs.

2/90 Signs





12X60 COMBO (3ea. 12X20B)





Product Planning

Product Planning

8X60 COMBO (2 ea. 8X30S)

Department Signs

Product Planning

12X90 COMBO (3 ea. 12X30S)

UCI Sign Shop Quote / Order Sheet

Quantity:			S	ign Size:	h x	
		(Please	use this area to sketch	your sign)		
Material: (Please	check)			☐ Painted (Non-ref	lective)	
☐ Aluminum	ROUTED:	ED: Refl		ective Sheeting:		
☐ HDO Plywood	☐ Cedar		Paint	☐ Engineer Grade	Reflective	
☐ Polyplate	☐ Oak		Stain	☐ High Intensity P	rismatic Reflective	
☐ Lexan	☐ MDO Plywood	u 1	U nfinished	☐ Diamond Grade	Reflective	
☐ Magnetic	☐ Plastic		Scorched	☐ Fabric		
	☐ Recycled Plasti	c		☐ Heat Activated (E	xtra Cost)	
Other:						
Text Size:			☐ 1-S	Sided 2-Sided		
(If unsure, can U	CI determine best si	ze?)				
☐ Yes	\square No					
Preferred Color:			Top Tape:	☐ Yes ☐ No		
Radius Corners:	Yes No		Drill Pattern:	☐ Yes ☐ No	Std. Spec. \square Custom \square	
(If yes, please spec	ify location on drawing	g above	(If yes, pleas	se specify location on dra	awing above) Corner Radius	
			Drill size:			
Special Instruction	ns:					
Agency:			Fund:			
Contact Name:	ntact Name: Agency		A gency:			
Address:			Low Org:			
City:		_				
Phone:						
Gax:	Email:					
Orders and Quotes: (801) 576-7724 or (801) 576-7732 UCI Sign Shon FAX:						

(801) 572-0247

(801) 572-2489



1-877-UCI-SIGN 1-877-824-7446

Terms and Conditions of Sale

Order Confirmation: All orders should be confirmed in writing by UCI. Telephone orders will be accepted only on the basis that Utah Correctional Industries' interpretation of the order placed prevails unless written confirmation is received within 48 hours of placement.

Order Changes and Cancellations: Changes and cancellations are costly in time and materials, therefore, once an order is in production we cannot accept changes or cancellations. Changes and cancellation will not be accepted under any circumstances on "custom items" (not shown in this catalog).

Shipping: All orders are shipped F.O.B. We will pre-pay shipping charges and add them to the invoice if requested. We will ship the carrier and method of our best judgement, unless instructions are provided on the order. Our shipping department has daily schedules for parcel post, UPS, air freight, local and long distance truck lines. NOTE: PLEASE INCLUDE APPROXIMATELY 15 PERCENT OF THE TOTAL COST OF YOUR ORDER AS A SEPARATE LINE ITEM TO COVER THE COST OF SHIPPING AND HANDLING FOR YOUR ORDER TO ITS DESTINATION.

Returns: No returns are allowable without prior written consent. Returns will only be accepted if authorized in writing by UCI. If permission to return is granted, a minimum handling charge of 15 percent will be applied. Returned merchandise must be received and inspected before credit will be issued. Transportation charges must be prepaid on all returned merchandise. Custom work is not returnable.

Claims: All merchandise is packed carefully for shipment and, therefore, we are not responsible for damages suffered in transit once it has been accepted by the carrier. Should you discover damages or loss in shipment, contact your carrier immediately and file a claim. We will be glad to assist you in every possible way in collecting claims for damage or loss, but we are not responsible for the collection of claims or replacement of merchandise.

Freight Claims: UCI products are carefully inspected and packed by trained personnel before leaving the factory. Before accepting the goods from the carrier, examine and inspect the goods carefully. If the shipment is damaged, do the following:

- Visible loss damage: Be certain this is noted on the freight bill or express receipt, and signed by the person making the delivery.
- 2. File a claim for damages immediately, regardless of the extent of damage.

Errors or shortages: All claims for shortages or errors in shipment must be made within five (5) days of receipt of shipment. Clerical errors are subject to correction. Seller warrants only to its buyer that products sold hereunder conform to the description on the face hereof, no other warranties express or implied, including warranties of merchantability and fitness for a particular purpose are made by seller. If products are shown to be defective, seller's sole obligation is limited to replacing or restoring the defective products or refunding to Buyer the amount paid therefore. Seller shall not be liable to Buyer for incidental or consequential damages, including damages, direct, or indirect, arising from the use of or inability to use its products. The foregoing provisions do not apply in any state where prohibited.

Prices: All prices are subject to change without notice.

Terms: Terms to customers of established credit rating are net 30 days from date of invoice. When credit has not been established, orders will be sent C.O.D. or T.P.D. Delinquent accounts are subject to a monthly service charge on past due balances. To avoid the service charge, please ensure your payment is postmarked within 30 days of date of invoice.

Warranty: All signs manufactured by Utah Correctional Industries are to be free of defects in workmanship. Any sign containing misspelled words (unless copy is provided by the customer and contains misspellings), delamination of reflective sheeting, flaking or peeling of inks, improper mounting holes, or other major defects, will be replaced, or credit for the purchase price will be given (at the customer's option). (To obtain credit or replacement sign(s), send a copy of the UCI delivery document and a letter explaining the defect to Utah Correctional Industries, P.O. Box 850, Draper, Utah 84020-0850 within 90 days after purchase.) Do not return signs without authorization.

The UCI Sign Shop makes use of the finest quality materials in our production process including; .080 Anodized Aluminum

High Density Overlay (5/8" or 3/4" Plywood) 3M Corporation Sheeting and Inks; Engineer (Industrial) Grade High Intensity (Prismatic) Grade Diamond Grade (Fluorescent Colors available) Fabric Materials

.135 (Fiberglass) Polyplate
High Quality Plastics
Plexiglas, Lexan, Engraving Plastic, Recycled Plastic

Routed Wood Products
Cedar, Oak, HDO and MDO Plywood

UCI Sign Shop has a purchasing contract with Utah State agencies (#PD-118)

*Designed and Printed by:
Utah Correctional Industries Print Shop
We do printing for governmental agencies and non-profit organizations.
For quotes call (801) 576-7720 or (801) 576-7729
Fax (801) 572-0247
Email: jwoodall@utah.gov or
rdbrown@utah.gov
Hours 7:00 AM to 2:00 PM Monday thru Friday

